

## Publikationsverzeichnis:

1. **Nelitz M**, Dreyhaupt J, Williams SRM. [No Growth Disturbance After Trochleoplasty for Recurrent Patellar Dislocation in Adolescents With Open Growth Plates](#). Am J Sports Med. 2018 Sep 10:363546518794671. doi: 10.1177/0363546518794671.
2. Seitz AM, **Nelitz M**, Ignatius A, Dürselen L. [Release of the medial collateral ligament is mandatory in medial open-wedge high tibial osteotomy](#). Knee Surg Sports Traumatol Arthrosc. 2018 Sep 29. doi: 10.1007/s00167-018-5167-0.
3. Dornacher D, Lippacher S, **Nelitz M**, Reichel H, Ignatius A, Dürselen L, Seitz AM. [Impact of five different medial patellofemoral ligament-reconstruction strategies and three different graft pre-tensioning states on the mean patellofemoral contact pressure: a biomechanical study on human cadaver knees](#). J Exp Orthop. 2018 Jun 28;5(1):25. doi: 10.1186/s40634-018-0140-x
4. **Nelitz M**. [Femoral Derotational Osteotomies](#). Curr Rev Musculoskelet Med. 2018 Curr Rev Musculoskelet Med. 2018 Jun;11(2):272-279. doi: 10.1007/s12178-018-9483-2. Review.
5. **Nelitz M**. Vertiefende Trochleoplastik – Indikation, Technik, Ergebnisse. Orthopädische und Unfallchirurgische Praxis. 2017; 314-318
6. **Nelitz M**, Dreyhaupt J, Williams SRM. [Anatomic reconstruction of the medial patellofemoral ligament in children and adolescents using a pedicled quadriceps tendon graft shows favourable results at a minimum of 2-year follow-up](#). Knee Surg Sports Traumatol Arthrosc. 2018;26(4):1210-1215
7. Balcarek P, Rehn S, Howells NR, Eldridge JD, Kita K, Dejour D, **Nelitz M**, Banke IJ, Lambrecht D, Harden M, Friede T. [Results of medial patellofemoral ligament reconstruction compared with trochleoplasty plus individual extensor apparatus balancing in patellar instability caused by severe trochlear dysplasia: a systematic review and meta-analysis](#). Knee Surg Sports Traumatol Arthrosc. 2017;25:3869-3877 Review.
8. **Nelitz M**, Williams SRM. Kombinierte Trochleoplastik und Rekonstruktion des medialen patellofemorale Ligaments zur Behandlung der patellofemorale Instabilität (Combined trochleoplasty and medial patellofemoral ligament reconstruction for patellofemoral instability). Oper Orthop Traumatol. 2015; 27:495-504
9. **Nelitz M**, Williams SRM, Lippacher S, Reichel H, Dornacher D. Analysis of failure and clinical outcome after unsuccessful medial patellofemoral ligament reconstruction in young patients. Int. Orthopaedics. 2014; 38: 2265-72
10. **Nelitz M**, Williams SR. Anatomical reconstruction of the medial patellofemoral ligament in children and adolescents using a pedicled quadriceps tendon graft. Arthrosc Tech. 2014 28;3(2):e303-8
11. **Nelitz M**, Wehner T, Steiner M, Dürselen L, Lippacher S. [The effects of femoral external derotational osteotomy on frontal plane alignment](#). Knee Surg Sports Traumatol Arthrosc. 2014; 22:2788-94
12. **Nelitz M**, Lippacher S. [Arthroscopic evaluation of trochlear dysplasia as an aid in decision making for the treatment of patellofemoral instability](#). Knee Surg Sports Traumatol Arthrosc. 2014; 22:2740-46

13. Lippacher S, Dreyhaupt J, Williams SR, Reichel H, **Nelitz M**. Reconstruction of the medial patellofemoral ligament: clinical outcomes and return to sports. *Am J Sports Med*. 2014; 42:1661-68
14. Lippacher S, Mueller-Rossberg E, Reichel H, **Nelitz M**. [Correction of malformative patellar instability in patients with nail-patella syndrome: a case report and review of the literature](#). *Orthop Traumatol Surg Res*. 2013; 99:749-54
15. **Nelitz M**, Dreyhaupt J, Lippacher S. Combined trochleoplasty and patellofemoral ligament reconstruction for recurrent patellar dislocation in severe trochlear dysplasia. A minimum two years follow-up study. *Am J Sports Med* 2013; 41:1005-12
16. **Nelitz M**, Seitz AM, Bauer J, Reichel H, Ignatius A, Dürselen L. Increasing posterior tibial slope does not raise anterior cruciate ligament strain but decreases tibial rotation ability. *Clinical Biomech* 2013; 28:285-90
17. **Nelitz M**, Dreyhaupt J, Reichel H, Wölfle J, Lippacher S. Anatomical reconstruction of the medial patellofemoral ligament in children and adolescents with open growth-plates: Surgical Technique and Clinical Outcome. *Am J Sports Med* 2013, 41:58-63
18. **Nelitz M**, Lippacher S, Reichel H, Dornacher D. Evaluation of trochlear dysplasia using MRI: Correlation between the classification system of Dejour and objective parameters of trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2014; 22:120-7
19. Woelfle J, Javaheripour-Otto K, **Nelitz M**. Indications and limitations of osteochondral autologous transplantation in osteochondritis dissecans of the talus. *Knee Surg Sports Traumatol Arthrosc* 2013; 21:1925-30
20. **Nelitz M**, Reichel H, Lippacher S. Anatomical reconstruction of the medial patellofemoral ligament in children with open growth-plates. *Arch Orthop Traum Surg* 2012; 132:1647-51
21. Dornacher D, Lippacher S, Reichel H, **Nelitz M**. Mid-term results after ultrasound-monitored treatment of developmental dysplasia of the hips. To what extent a physiological development can be expected? *J Pediatr Orthop B* 2013; 22:30-35
22. Woelfle JV, Reichel H, Javaheripour-Otto K, **Nelitz M**. [Clinical outcome and magnetic resonance imaging after osteochondral autologous transplantation in osteochondritis dissecans of the talus](#). *Foot Ankle Int*. 2013; 34:173-9
23. Lippacher S, Reichel H, **Nelitz M**. Permanent patellar dislocation after a nonoperative treatment of recurrent dislocation of the patella because of trochlear dysplasia: a case report and review of the literature. *J Pediatr Orthop B*. 2013; 22: 325-8
24. **Nelitz M**, Reichel H, Dornacher D, Lippacher S. [Anatomical reconstruction of the medial patellofemoral ligament in children with open growth-plates](#). *Arch Orthop Trauma Surg*. 2012; 132:1647-51
25. Wabitsch M, Horn M, Esch U, Mayer H, Moss A, Günther KP, **Nelitz M**. Silent slipped capital femoral epiphysis in overweight and obese children and adolescents. *Eur J Pediatr* 2012; 171:1461-5
26. Jöckel J, Reichel H, **Nelitz M**. Correction of knee deformity in patients with Ellis-van-Creveld syndrome: A case report and review of the literature. *The Knee* 2012; 19:218-22

27. Lippacher S, Dejour D, Elsharkawi M, Dornacher D, Ring C, Dreyhaupt J, Reichel H, **Nelitz M**. Observer agreement on D. Dejour's trochlear dysplasia classification. A comparison of the true lateral radiographs to axial MR images. *Am J Sports Med* 2012; 40: 837-843
28. Woelfle JV, Fraitzl CR, Reichel H, **Nelitz M**. The asymptomatic contralateral hip in unilateral slipped capital femoral epiphysis: Morbidity of prophylactic fixation. *J Pediatr Orthop B* 2012; 21:226-229
29. **Nelitz M**, Theile M, Dornacher D, Wölfle J, Reichel H, Lippacher S. Analysis of failed surgery for patellar instability in children with open growth plates. *Knee Surg Sports Traumatol Arthrosc* 2012; 20:822-828
30. **Nelitz M**, Dornacher D, Dreyhaupt J, Reichel H, Lippacher S. The relation of the distal femoral physis and the medial patellofemoral ligament. *Knee Surg Sports Traumatol Arthrosc* 2011; 19:2067-2071
31. Lippacher S, Reichel H, **Nelitz M**. Radiological criteria for trochlear dysplasia in children and adolescents. *J Pediatr Orthop B* 2011; 20: 341-344
32. Wölfle J, Brenner R, Reichel H, **Nelitz M**. Schmid-Type Metaphyseal Chondrodysplasia as result of a collagen type X defect due to a novel COL10A1 nonsense mutation. *Journal of Orthopaedic Science* 2011; 16:245-249
33. Dornacher D, Cakir B, Reichel H, **Nelitz M**. Early radiological outcome of ultrasound monitoring in infants with developmental dysplasia of the hips. *J Pediatr Orthop B* 2010; 19:27-31
34. Lippacher S, Reichel H, **Nelitz M**. Patellafraktur nach MPFL-Rekonstruktion bei femoropatellarer Instabilität. *Orthopäde* 2010; 39: 516-518
35. Stocker B, Reichel H, **Nelitz M**. Koalitionen des Rückfußes als seltene Differenzialdiagnosen des angeborenen Klumpfußes. *Z Orthop Unfall* 2009; 147:424-426
36. Fraitzl CR, **Nelitz M**, Cakir B, Käfer W, Reichel H. Transphysäre Fixation bei Epiphyseolysis capitis femoris: Hinweise für femoroazetabuläres Impingement im Langzeitverlauf. *Z Orthop Unfall* 2009; 147: 334-340
37. Perl M, Brenner RE, Lippacher S, **Nelitz M**. [Dysplasia epiphysealis hemimelica: a case report with novel pathophysiologic aspects](#). *Clin Orthop Relat Re* 2009; 467: 2472-2478
38. **Nelitz M**, Lippacher S, Krauspe R, Reichel. H [Perthes disease: current principles of diagnosis and treatment](#). *Dtsch Arztebl* 2009; 106:517-523
39. Dornacher D, Cakir B, Reichel H, **Nelitz M** Reliabilität der digitalen Messung des AC-Winkels bei der Hüftreifungsstörung an Röntgenaufnahmen zum Gehbeginn. *Z Orthop Unfall* 2008; 146:246-250
40. **Nelitz M**, Reichel H. Konservative Behandlung der Hüftreifungsstörung. *Der Orthopäde* 2008; 37:552-555

41. Fraitzl C, Käfer W, **Nelitz M**, Reichel H. Radiological evidence of femoroacetabular impingement in mild slipped capital femoral epiphysis: A mean follow-up of 14.4 years after pinning in situ. *J Bone Joint Surg Br* 2007 ; 89:1592-1596
42. Roederer G, **Nelitz M**, Puhl W, Huch K Minimalinvasive Therapie bei Osteoidosteom. *Z Orthop Ihre Grenzgebiete* 2004; 142:456-461
43. Kessler S, Pfänder T, **Nelitz M**, Puhl W, Günther KP. Pediatric Musculoskeletal Functional Health Questionnaire. Ein Funktionsfragebogen zur Erfassung von Erkrankungen des Stütz- und Bewegungsapparates bei Kindern und Jugendlichen – Erste Ergebnisse der Validierung einer deutschen Version *Z Orthop Ihre Grenzgebiete* 2001; 139:134-137
44. Günther KP, **Nelitz M**, Puhl W. Allergic reactions to Latex in myelodysplasia: A review of the literature. *J Pediatr Orthop B* 2000; 9: 180-184
45. **Nelitz M**, Günther KP, Weidt F, Puhl W. Reliability of radiological measurements in the assessment of hip dysplasia in young adults. *British Journal of Radiology* 1999; 72: 331-334
46. **Nelitz M**, Günther KP, Geiger P, Puhl W. Kombination aus Kaudal- und Allgemeinanästhesie in der Klumpfußchirurgie. *Z Orthop* 1996; 134:537-540